

The fastest way to collect trims in 0.85 kW

Industrial vacuum for the collection of plastic, paper or textile trims. Its suction power, its features and its size make it the right vacuum to operate in packaging areas.

Model R 104 is equipped with a 0,85 kW threephase motor and a 114 liters container. It mounts a nylon filter, however specific filters for dust extraction are available. The threephase suction unit is placed under the container, the liner is spread out and completely open and all product vacuumed in is neatly compacted on the bottom, optimizing the container capacity.

- Small
- No maintenance needed
- Silent
- Easy and quick disposal of waste material
- High container capacity
- Quick visual level control: plexiglass hole in the lid
- Specific liner filter for fine dust available
- Stainless steel version



Resim, gerçek modelden farklılık gösterebilir.

• Standart ekipman

MODEL	R104 V	R104 X	R104 X V230
ÜRÜN KODU	4031600000	4031600006	4031600004
ÜRÜN ÖZELLİKLERİ			
Filtre torbasi	•	•	•
Paslanmaz çelik toz haznesi		•	
Motor koruma şalteri		•	
TEKNİK ÖZELLİKLER			
Voltaj (V)	400	400	400
Frekans (HZ)	50	50	50
İp koruma sınıfı	55	55	55
İzolasyon sınıfı	F	F	F
Motor gücü (KW)	0.9	0.9	0.9
Maks. hava akışı (m³/s - l/dk.)	156 - 2600	156 - 2600	156 - 2600
Maksimum vakum (kPa - mbar)	23 - 230	23 - 230	23 - 230
Ses basınç seviyesi	68	68	68
Hazne kapasitesi (L)	114	114	114
Ana filtre tipi	NYLON MOD. R460	NYLON MOD. R460	NYLON MOD. R460
Ana filtre alanı (CM²)	11500	11500	11500
Giriş (MM)	50	50	50
Uzunluk x genişlik x yükseklik (MM)	560x560x1200	560x560x1200	560x560x1200

NILFISK

Bu belgedeki bilgiler, önceden haber verilmeksizin değiştirilebilir.

The fastest way to collect trims in 0.85 kW

TEKNİK ÖZELLİKLER

R104 V

R104 X

R104 X V230

Ağırlık (KG)

38

38

38

● Standart ekipman, ○ Supplementary accessories, □ Mountable equipment

AKSESUARLAR	ÜRÜN KODU	MİNİMUM GEREKİLİ ADET	R104 V	R104 X	R104 X V230
Hortum - Elektrikli süpürgeler					
	50MM ANTI STATIC CUFF	Z7 20325	1	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○
	ANT.POL BLACK HOSE D50 MT15+SLEEVES	4072200478	1	○	○
	ESNEK İLETKEN HORTUM D50 MT5	Z7 22377	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○
	FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	1	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○
	HANK CONDUCTIVE FLEX HOSE D50 MT.30	4072400234	1	○	○
	HOSE FDA D40 3M + SLEEVES	4072400334	1	○	○

NILFISK

Bu belgedeki bilgiler, önceden haber verilmeksizin değiştirilebilir.

The fastest way to collect trims in 0.85 kW

	AKSESUARLAR	ÜRÜN KODU	MİNİMUM GEREKLİ ADET	R104 V	R104 X	R104 X V230
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○
	HOSE FDA D40 10M + SLEEVES	4072400338	1	○	○	○
	HOSE FDA D40 BY METER	4072400328	1	○	○	○
	HOSE FDA D50 3M + SLEEVES	4072400335	1	○	○	○
	HOSE FDA D50 5M + SLEEVES	4072400337	1	○	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
	POL HOSE D50 MT5+SLEEVES	Z7 22366	1	○	○	○
	POL HOSE D50 MT15+SLEEVES	4072200475	1	○	○	○
	SLEEVE D50 PVC	Z7 23023	1	○	○	○
	SLEEVE D50 RUBBER	Z7 20002	1	○	○	○
	SLEEVE D50 ANTISTAT. RUBBER COMPONENT ATEX	40000219	1	○	○	○
	TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	1	○	○	○

The fastest way to collect trims in 0.85 kW

AKSESUARLAR		ÜRÜN KODU	MİNİMUM GEREKLİ ADET	R104 V	R104 X	R104 X V230
Hortum ve bağlantıları						
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○