







# Park Ranger 2150 Mulch mower

With the mulch mower the lawn is mulched while mowing. It cuts and recuts the grass into tiny particles and blows them down into the lawn. The fine cut grass decomposes rapidly and is left to mulch the lawn throughout the summer - and moss does not thrive in a mulched lawn! The mulch mower ensures a professionally groomed lawn, which can be enjoyed all throughout the summer.

This articulated machine and the clear view to the mower during mowing make manoeuvring easy. It is a pleasure cutting the grass - also between obstacles such as trees and flowerbeds and under bushes. And thanks to its light weight, the Park Ranger 2150 does not leave tracks on the lawn.



With the Park Ranger 2150 the changeover from one attachment to another is done in less than 4 minutes - no tools required!





## Technical data

### Mulch mower





#### **Special features**

Lightweight machine with wide-tread wheels and mulch mower with piano wheels, which make the mower follow the steering. Result: no tracks on the lawn.

The mulch mower is fitted in a floating position and therefore follows the terrain - across uneven areas, too.

The mower can tilt up and rest on the two support wheels - making cleaning and moving easy.

#### **Optional equipment**

Large radiator cover: Choking of the radiator grille while mowing very dry grass in dusty surroundings can be avoided by mounting the large radiator cover. The radiator cover can be ordered from an authorised Nilfisk Outdoor distributor.

#### **Dimensions**

#### Attached:

Length	2.780 mm
Width	1.290 mm
Height	1.935 mm

#### **Storage dimensions:**

Length	980 mm
Width	1.290 mm
Height	480 mm

#### **Technical data:**

Weight	96 kg
Cutting width	1.210 mm
Adjustable cutting-height	30-70 mm

Ground clearance

below mower 110 mm

No. of mower blades 2

Cutting speed

Tip speed 77 m/sec.

Theoretical mowing

area per hour 5.000-10.000 m<sup>2</sup>/h

EU standard approved
CE certified according to EU Directive

Your Nilfisk Outdoor dealer

